

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 1 | count\$3 near3 (device or unit or means) same (notif\$4 or notification) near3 (connection near2 limit\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/13 08:19 |
| L2 | 9 | count\$3 near3 (device or unit or means) same (notif\$4 or notification) near3 limit\$3 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/13 08:19 |
| L6 | 1218 | count\$3 same (notif\$4 or notification) same (limit\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/13 08:58 |
| L7 | 137 | count\$3 same (notif\$4 or notification) adj10 (limit\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/13 09:44 |
| L8 | 1 | 10/628265 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/13 09:44 |
| S1 | 1 | 10/376262 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/05 16:08 |
| S2 | 1 | 10/627650 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/06 12:27 |
| S3 | 1 | 10/628265 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/06 15:29 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|-----|-----|------------------|
| S4 | 4425 | (370/465,466,475.ccls).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/08 07:39 |
| S5 | 5256 | (370/465,466,475).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/06 15:33 |
| S6 | 160055 | 370/465, "466", "475.ccls" | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/06 15:30 |
| S7 | 324 | S5 ((acquir\$3 or obtain\$3 or get\$4) near3 (ID or (IP adj address) or (unique adj address) or Identification)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:42 |
| S10 | 140437 | (compar\$3 or evaluat\$3 or identif\$4) near3 ((IP adj address) or (unique adj address) or Identification or ID) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:43 |
| S11 | 153 | S7 and S10 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 15:51 |
| S12 | 79 | S11 ((reset or set or change) near3 ((IP adj address) or (unique adj address) or Identification or ID)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 15:59 |
| S13 | 45 | S12 ((relay or intermediate) and convert\$3 or translat\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:00 |

EAST Search History

| | | | | | | |
|-----|---------|---|--|-----|----|------------------|
| S14 | 29 | S12 ((relay or intermediate) and (convert\$3 or translat\$3)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:37 |
| S15 | 2676479 | (ID or (unique adj address) or identification or (IP adj address)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:41 |
| S16 | 68 | (connect\$3 adj2 unit) and ((acquir\$3 or obtain\$3) near2 S15) and ((compar\$3 or evaluat\$3) near2 S15) and ((reset or change) near2 S15) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:43 |
| S17 | 197459 | S15 same (compar\$3 or evaluat\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:55 |
| S18 | 371763 | S15 same (acquir\$3 or obtain\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:56 |
| S19 | 252677 | S15 same ((reset or set or change) and control) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:57 |
| S20 | 15718 | S17 and S18 and S19 and (relay or intermediate) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:59 |
| S21 | 234 | S20 (connection adj2 unit) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 16:59 |

EAST Search History

| | | | | | | |
|-----|---------|--|--|-----|----|------------------|
| S22 | 13525 | S20 (stor\$3 or memory or buffer\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 17:00 |
| S23 | 1900 | S22 (S15 near3 (different or difference or inconsistent)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/06 17:03 |
| S24 | 1626 | S23 (translat\$3 or convert\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:39 |
| S25 | 41092 | (relay or intermediate) adj2 (device or node) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:40 |
| S26 | 2676479 | (ID or (unique adj address) or identification or (IP adj address)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 07:38 |
| S28 | 162788 | S26 near4 (compar\$3 or evaluat\$3 or identif\$4) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:52 |
| S29 | 171527 | S26 near5 (acquir\$3 or obtain\$3 or receiv\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:44 |
| S30 | 155169 | S26 near6 (set or setting or reset\$4 or chang\$3 or adjust\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:50 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|-----|------------------|
| S31 | 1066 | S25 and S28 and S29 and S30 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:52 |
| S32 | 998 | S31 network | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 07:54 |
| S33 | 0 | S32 ((relay or intermediate) near4 (connection units)) same (convert\$3 or translat\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | OFF | 2007/03/07 07:56 |
| S34 | 486 | S32 IEEE | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | OFF | 2007/03/07 12:07 |
| S35 | 324 | S34 (notif\$4) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | OFF | 2007/03/07 10:42 |
| S36 | 30 | S34 (notif\$4 near5 S26) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | OFF | 2007/03/07 10:42 |
| S37 | 122 | S34 ((repl\$3 or return) near5 S26) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | OFF | 2007/03/07 12:28 |
| S38 | 18 | S34 ((count\$3 or memory or database or (data adj base)) near4 (number or many) near3 device) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:13 |

EAST Search History

| | | | | | | |
|-----|---------|---|--|-----|----|------------------|
| S39 | 2655846 | (relay or intermediate or router) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:12 |
| S40 | 35099 | (connection or channel or link) same (resource or bandwidth) same (limit\$3 or prohibit\$3 or restrict\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:13 |
| S41 | 509 | S40 ((count\$3 or memory or database or (data adj base)) near4 (number or many) near3 device) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:27 |
| S42 | 282 | S39 and S41 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:15 |
| S43 | 64 | notif\$4 same ((connection or link or channel or bandwidth) near4 (limit\$3 or overload\$3) same (based or correspond\$3 or accord\$3)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:35 |
| S44 | 1 | notif\$4 same ((connection or link or channel or bandwidth) near4 (limit\$3 or overload\$3) same (based or correspond\$3 or accord\$3) near2 (number)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:37 |
| S45 | 4 | (notif\$4 or notification) same ((connection or link or channel or bandwidth) near3 (limit\$3 or overload\$3) same (based or correspond\$3 or accord\$3) near2 (number)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:38 |
| S46 | 130 | (notif\$4 or notification) same ((connection or link or channel or bandwidth) near3 (limit\$3 or overload\$3) same (based or correspond\$3 or accord\$3)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:54 |

EAST Search History

| | | | | | | |
|-----|---------|--|---|-----|-----|------------------|
| S47 | 45 | (notif\$4 or notification) near3 (connection or link or channel or bandwidth) near3 (limit\$3 or overload\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/07 13:55 |
| S48 | 2677635 | (ID or (unique adj address) or identification or (IP adj address)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 16:36 |
| S49 | 4431 | (370/465,466,475.ccls).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/08 16:39 |
| S50 | 48811 | (compar\$4 or evaluat\$3) near4 S48 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 07:42 |
| S51 | 116 | S49 and S50 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 07:43 |
| S52 | 3353657 | (ID or (unique adj address) or identification or (IP adj address) or address) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 07:41 |
| S53 | 95762 | (compar\$4 or evaluat\$3) near4 S52 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 07:42 |
| S54 | 293 | S49 and S53 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 07:43 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|-----|----|------------------|
| S55 | 200 | S54 (relay or router or intermediate) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 08:29 |
| S56 | 5 | S49 ((connection or link or channel or bandwidth) near3 limit\$3 same notif\$4) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 08:39 |
| S57 | 6 | ((connection or link or channel or bandwidth) near3 limit\$3 same notif\$4) and (count\$3 near4 device) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 08:52 |
| S58 | 0 | ((connection or link or channel or bandwidth) near3 limit\$3 near5 (based or accord\$3) same notif\$4) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 08:53 |
| S59 | 0 | ((connection or link or channel or bandwidth) near3 limit\$3 near5 (based or accord\$3)) same notif\$4) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 08:54 |
| S60 | 65836 | (set or setting or change or reset\$4) same (compar\$3 or evaluat\$3) same S48 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 09:12 |
| S61 | 90 | S60 (S49) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 09:13 |
| S62 | 2669 | ((set or setting or change or reset\$4) near3 S48) same ((compar\$3 or evaluat\$3) near4 S48) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 09:12 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S63 | 7 | S62 (S49) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 09:25 |
| S64 | 682 | S62 ((coincid\$3 or identical) near3 S48) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 09:26 |
| S65 | 35 | S62 ((coincid\$3 or identical) near3 S48) same (S48 near4 different or inconsistent) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 09:27 |
| S66 | 15 | (US-20040114614-\$ or US-20010009547-\$).did. or (US-6922412-\$ or US-6546012-\$ or US-6697360-\$ or US-6512767-\$ or US-6839348-\$ or US-7133407-\$ or US-7113784-\$ or US-7114008-\$ or US-6044076-\$ or US-6212200-\$ or US-6757725-\$ or US-5448565-\$ or US-6246696-\$).did. | US-PGPUB; USPAT | OR | ON | 2007/03/08 10:30 |
| S67 | 473 | connection near3 chang\$3 same notif\$4 | US-PGPUB; USPAT | AND | ON | 2007/03/08 10:10 |
| S68 | 2 | (connection near3 chang\$3 same notif\$4) and S66 | US-PGPUB; USPAT | AND | ON | 2007/03/08 10:10 |
| S69 | 631 | (stor\$4 near3 advance) near3 S48 | US-PGPUB; USPAT | AND | ON | 2007/03/08 10:31 |
| S70 | 3 | S69 and S66 | US-PGPUB; USPAT | AND | ON | 2007/03/08 10:50 |
| S71 | 10 | (notif\$4 S48) and S66 | US-PGPUB; USPAT | AND | ON | 2007/03/08 10:51 |
| S72 | 8 | (notif\$4 same S48) and S66 | US-PGPUB; USPAT | AND | ON | 2007/03/08 10:51 |
| S73 | 1 | ((count\$3 or estimat\$3 or calculat\$3) near4 device) same (notif\$4 near5 (connect\$3 or bandwidth or link or channel) near3 (limit\$3)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 12:34 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|-----|-----|------------------|
| S74 | 6 | ((count\$3 or estimat\$3 or calculat\$3) near4 device) and (notif\$4 near5 (connect\$3 or bandwidth or link or channel) near3 (limit\$3)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 12:37 |
| S75 | 13 | ((count\$3 or estimat\$3 or calculat\$3 or memory or buffer or table) near4 device) and (notif\$4 near5 (connect\$3 or bandwidth or link or channel) near3 (limit\$3)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 12:40 |
| S76 | 2 | ("6286067").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/08 12:41 |
| S77 | 2 | ("6157650").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/08 12:41 |
| S78 | 23470 | (inquir\$3 or request\$3) near5 (respons\$3 or return) same S48 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/08 14:38 |
| S79 | 188 | S49 and S78 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/08 14:39 |
| S80 | 25147 | (inquir\$3 or request\$3) near5 (respons\$3 or return or repl\$3) same S48 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/08 14:38 |
| S81 | 25277 | (inquir\$3 or request\$3) near5 (respons\$3 or return or repl\$4) same S48 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/08 14:57 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|-----|----|------------------|
| S82 | 212 | S49 and S81 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/08 14:57 |
| S83 | 934 | (inquir\$3 or request\$3) near5 ((reply or respon\$4) near3 (unit or mean\$1)) same S48 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 14:57 |
| S84 | 4 | S49 and S83 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/08 14:58 |
| S85 | 126890 | (acquir\$3 or collect\$3 or table or memory or database) near4 (ID or (unique adj address) or identification or (IP adj address)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 16:38 |
| S86 | 23635 | (acquir\$3 or collect\$3) near4 (ID or (unique adj address) or identification or (IP adj address)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/08 16:38 |
| S87 | 68 | S49 and S86 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/08 16:39 |
| S88 | 17 | (US-20040114614-\$ or US-20010009547-\$ or US-20040037284-\$ or US-20020093960-\$).did. or (US-7133407-\$ or US-7114008-\$ or US-7113784-\$ or US-6839348-\$ or US-6697360-\$ or US-6512767-\$ or US-6044076-\$ or US-5448565-\$ or US-6757725-\$ or US-6922412-\$ or US-6246696-\$ or US-6546012-\$ or US-6212200-\$).did. | US-PGPUB; USPAT | OR | ON | 2007/03/12 08:33 |
| S89 | 4 | S88 ((connection or channel or bandwidth) near3 (limit\$3 or shor\$3)) | US-PGPUB; USPAT | AND | ON | 2007/03/12 08:39 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|-----|-----|------------------|
| S90 | 1052 | ((connection or channel or bandwidth) near3 (limit\$3 or shor\$3) near3 (unit or mean)) | US-PGPUB; USPAT | AND | ON | 2007/03/12 08:50 |
| S91 | 9 | ((connection or channel or bandwidth) near3 (limit\$3 or shor\$3) near3 (unit or mean) same notif\$4) | US-PGPUB; USPAT | AND | ON | 2007/03/12 08:51 |
| S92 | 22776 | router same (address or ID) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 14:29 |
| S93 | 0 | 370/400,401,389.ccls | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 14:29 |
| S94 | 10788 | (370/400,401,389).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/12 14:29 |
| S95 | 3141 | S92 and S94 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/12 14:30 |
| S96 | 1217 | S95 (routing adj table) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 15:55 |
| S97 | 37551 | (count\$3 or accumulat\$3) near3 (devices or nodes or units) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | OFF | 2007/03/12 15:58 |
| S98 | 110 | S97 ((connection or channel or bandwidth) near4 (notif\$4 or notation)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 16:14 |

EAST Search History

| | | | | | | |
|----------|-----|---|--|-----|----|------------------|
| S99 | 0 | S97 ((connection or channel or bandwidth) near4 (notif\$4 or noticiation) nar4 limit\$3) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 16:15 |
| S10 0 | 1 | 10/627650 | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 16:20 |
| S10 1 | 116 | (connect\$3 near3 limit\$3) same ((count or accumul\$3) near3 (device or node or endpoint or unit)) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 16:25 |
| S10 2 | 26 | connect\$3 near4 limit\$3 near3 (notification or notif\$4) | US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB | AND | ON | 2007/03/12 16:26 |